



Descriptive evidence among retained assessed children

Proportions / means and 95% intervals; median-IQR is a separate dispersion summary. Categories are noncausal comparisons.

Depressive encounters · Days 1-730 before exit · 2015-2018



Depressive encounters · Days 1-730 before exit · 2019-2021




Each displayed row retains its original cohort, category, outcome year, age/grade/calibration and era. Counts show observed/eligible. There is no across-year monetary pooling or invented common scale. Full disposition reasons remain in the accompanying tables.


Descriptive evidence among retained assessed children

Proportions / means and 95% intervals; median-IQR is a separate dispersion summary. Categories are noncausal comparisons.

Depressive encounters · Days 1-730 before exit · 2022-2024



Anxiety stress encounters · Days 1-730 before exit · 2015-2018




Each displayed row retains its original cohort, category, outcome year, age/grade/calibration and era. Counts show observed/eligible. There is no across-year monetary pooling or invented common scale. Full disposition reasons remain in the accompanying tables.


Descriptive evidence among retained assessed children

Proportions / means and 95% intervals; median-IQR is a separate dispersion summary. Categories are noncausal comparisons.

Anxiety stress encounters · Days 1-730 before exit · 2019-2021



Anxiety stress encounters · Days 1-730 before exit · 2022-2024




Each displayed row retains its original cohort, category, outcome year, age/grade/calibration and era. Counts show observed/eligible. There is no across-year monetary pooling or invented common scale. Full disposition reasons remain in the accompanying tables.


Descriptive evidence among retained assessed children

Proportions / means and 95% intervals; median-IQR is a separate dispersion summary. Categories are noncausal comparisons.

Community specialist contact · Whole billing weeks to day 730



Community specialist contact · Whole billing weeks to day 730 · 2022-2024




Each displayed row retains its original cohort, category, outcome year, age/grade/calibration and era. Counts show observed/eligible. There is no across-year monetary pooling or invented common scale. Full disposition reasons remain in the accompanying tables.


Descriptive evidence among retained assessed children

Proportions / means and 95% intervals; median-IQR is a separate dispersion summary. Categories are noncausal comparisons.

General practitioner contact · Whole billing weeks to day 730



General practitioner contact · Whole billing weeks to day 730 · 2022-2024



Each displayed row retains its original cohort, category, outcome year, age/grade/calibration and era. Counts show observed/eligible. There is no across-year monetary pooling or invented common scale. Full disposition reasons remain in the accompanying tables.